Confirmation No.: 2308

## **Amendments to the Claims**

This listing of claims will replace all prior versions, and listings, of claims in the application.

## **Listing of the Claims:**

Claim 1 (Currently Amended) Porous bodies which are soluble or dispersible in nonaqueous media comprising a three dimensional open cell lattice containing

- (a) 10 to 95% by weight of a polymeric material which is soluble in water immiscible the non-aqueous media and.
- (b) 5 to 90% by weight of a surfactant and,
- (c) a water soluble and/or water insoluble materials, neither of which are soluble in the non-aqueous media, incorporated into the polymeric lattice to be dispersed in the non-aqueous media when said polymeric material (a) and said surfactant (b) dissolve; wherein said porous bodies having have an intrusion volume as measured by mercury porosimetry of at least about 3 ml/g; and wherein said porous bodies dissolves or disperses in the the polymeric material contained in the open cell lattice dissolves in the non-aqueous media in less than 3 minutes when 0.1gm of the porous bodies are stirred with 2 ml of the non-aqueous media at 20°C.

Claim 2 (Previously presented): Porous bodies as claimed in claim 1 wherein the bodies are in the form of powders, beads or moulded bodies.

Confirmation No.: 2308

Claim 3 (Previously presented): Porous bodies as claimed in claim 1 wherein the polymeric material is a homopolymer or copolymer made from one or more of the following (co)monomers:-

Alkenes; dienes; urethanes; vinyl esters; styrenics; alkyl (meth)acrylates; alkyl (meth)acrylamides; (meth)acrylonitrile; vinyl ethers; imides; amides; anhydrides, esters; ethers, carbonates; isothiocyanates; silanes; siloxanes; sulphones; aliphatic and aromatic alcohols; aromatic and aliphatic acids; aromatic and aliphatic amines.

Claim 4 (Currently amended): Porous bodies as claimed in claim 3 wherein the polymeric material is <u>a polystyrene homopolymer or polyvinyl acetate</u>.

Claim 5 (Canceled):

Claim 6 (Currently amended): Porous bodies as claimed in claim 5-1 wherein the water soluble material is selected from water soluble vitamins; water soluble fluorescers; activated aluminium chlorohydrate; transition metal complexes used as bleaching catalysts; water soluble polymers; diethylenetriaminepentaacetic acid (DTPA); primary and secondary alcohol sulphates containing greater than C8 chain length or mixtures thereof.

Claim 7 (Currently amended): Porous bodies as claimed in claim 5–1 wherein the water insoluble material is selected from the group consisting of antimicrobial agents; antidandruff agent; skin lightening agents; fluorescing agents; antifoams; hair conditioning agents; fabric conditioning agents; skin conditioning agents; dyes; UV protecting agents; bleach or bleach precursors; antioxidants; insecticides; pesticides; herbicides; perfumes

Confirmation No.: 2308

or precursors thereto; flavourings or precursors thereto; pharmaceutically active materials; hydrophobic polymeric materials; and mixtures thereof.

Claim 8 (Withdrawn): A method for preparing porous bodies which are soluble or dispersible in non-aqueous media comprising a three dimensional open cell lattice containing

- (a) 10 to 95% by weight of a polymeric material which is soluble in water immiscible non-aqueous media and
- (b) 5 to 90% by weight of a surfactant, said porous bodies having an intrusion volume as measured by mercury porosimetry of at least about 3 ml/g comprising the steps of:
- a) providing an intimate mixture of the polymeric material and the surfactant in a liquid medium
- b) providing a fluid freezing medium at a temperature effective for rapidly freezing the liquid medium;
- c) cooling the liquid medium with the fluid freezing medium at a temperature below the freezing point of the liquid medium for a period effective to rapidly freeze the liquid medium; and
- d) freeze drying the frozen liquid medium to form the porous bodies by removal of the liquid medium by sublimation.

Claim 9 (Withdrawn): A method as claimed in claim 8 wherein the cooling of the liquid medium is accomplished by spraying an atomised water-in-oil emulsion into the fluid freezing medium; by dropping drops of a water-in-oil emulsion into the fluid freezing

Confirmation No.: 2308

medium or by pouring a water-in-oil emulsion into a mould and cooling the emulsion in the mould.

Claim 10 (Withdrawn): A method as claimed in claim 8 wherein the polymeric material is a homopolymer or copolymer made from one or more of the following (co)monomers:-Alkenes; dienes; urethanes; vinyl esters; styrenics; alkyl (meth)acrylates; alkyl (meth)acrylamides; (meth)acrylonitrile; vinyl ethers; imides; amides; anhydrides, esters; ethers, carbonates; isothiocyanates; silanes; siloxanes; sulphones; aliphatic and aromatic alcohols; aromatic and aliphatic acids; aromatic and aliphatic amines

Claim 11 (Withdrawn): A method as claimed in claim 10 wherein the polymeric material is polystyrene or polyvinyl acetate.

Claim 12 (Withdrawn): A method as claimed in claim 9 wherein the surfactant is non-ionic, anionic, cationic, or zwitterionic.

Claim 13 (Withdrawn): A method as claimed in claim 9 wherein the surfactant has an HLB value of 3 to 6.

Claim 14 (Withdrawn): A method as claimed in claim 9 wherein the surfactant is selected from the group consisting of ethoxylated triglycerides; fatty alcohol ethoxylates; alkylphenol ethoxylates; fatty acid ethoxylates; fatty amide ethoxylates; fatty amine ethoxylates; sorbitan alkanoates; ethylated sorbitan alkanoates; alkyl ethoxylates; pluronics; alkyl polyglucosides; stearol ethoxylates; alkyl polyglycosides; alkylether sulfates; alkylether carboxylates; alkylbenzene sulfonates; alkylether phosphates; dialkyl

Attorney Docket No.:

T3110(C) 10/587,722

Serial No.: Filed:

July 27, 2006

Confirmation No.:

2308

sulfosuccinates; alkyl sulfonates; soaps; alkyl sulfates; alkyl carboxylates; alkyl phosphates; paraffin sulfonates; secondary n-alkane sulfonates; alpha-olefin sulfonates; isethionate sulfonates; fatty amine salts; fatty diamine salts; quaternary ammonium compounds; phosphonium surfactants; sulfonium surfactants; sulfonxonium surfactants; N-alkyl derivatives of amino acids (such as glycine, betaine, aminopropionic acid); imidazoline surfactants; amine oxides; amidobetaines; and mixtures thereof.

Claim 15 (Withdrawn): A method as claimed in claim 9 wherein the intimate mixture is a water-in-oil emulsion.

Claim 16 (Withdrawn): A method as claimed in claim 15 wherein the discontinuous phase of the emulsion comprises 10 to 95% by volume of the emulsion,

Claim 17 (Withdrawn): A method as claimed in claim 15 wherein the discontinuous phase of the emulsion comprises 20 to 60% by volume of the emulsion,

Claim 18 (Withdrawn): A method as claimed in claim 15 wherein the discontinuous phase of the emulsion is selected from the group consisting of alkanes; cyclic hydrocarbons; halogenated alkanes; esters; ketones; ethers; volatile cyclic silicones; and mixtures thereof,

Claim 19 (Withdrawn): Solutions or dispersions comprising a polymeric material and surfactant formed by exposing the porous bodies of claim 1 to a non-aqueous medium.

Confirmation No.: 2308

Claim 20 (Withdrawn): Solutions or dispersions comprising a polymeric material, surfactant and a hydrophilic material formed by exposing the porous bodies of claim 5 having the hydrophilic material contained therein to a non-aqueous medium.

Claim 21 (Currently amended ): Porous bodies as claimed in claim 1 wherein the polymeric material contained in the open cell lattice dissolves to form a solution in said porous body dissolves or disperses in the non-aqueous media in less than 30 seconds when 0.1gm of the porous bodies are stirred with 2 ml of the non-aqueous media at 20 °C.

Claim 22 (Previously presented): Porous bodies as claimed in claim 1 wherein said porous body bodies are made by a process comprising the steps of:

- a) providing an intimate mixture of the polymeric material, and the surfactant, and the water-soluble and/or water insoluble material in a liquid medium
- b) providing a fluid freezing medium at a temperature effective for rapidly freezing the liquid medium;
- c) cooling the liquid medium with the fluid freezing medium at a temperature below the freezing point of the liquid medium for a period effective to rapidly freeze the liquid medium; and
- d) freeze drying the frozen liquid medium to form the porous bodies by removal of the liquid medium by sublimation.